

FOMENKO, V.T.

Infinitesimal deformations of surfaces in the case of sleeve  
couplings. Dokl. AN SSSR 157 no.4:810-813 Ag '64  
(MIRA 17:8)

1. Rostovskiy-na-Donu gosudarstvennyy universitet. Predstav-  
leno akademikom I.N.Vekua.

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

POMENKO, V.T. (Rostov-na-Donu)

Flexure of surfaces with conservation of congruence points.  
Mat. sbor. 66 no.1:127-141 Ja '65. (MIRA 18:4)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

Infiniteesimal bending of surfaces with boundaries under certain boundary conditions

O. S. Skrinskii matematicheskiy zhurnal, v. 16, no. 5, 1964, 600-704

Surface geometry, boundary problem

A problem of infiniteesimally small bending of surfaces of positive curvature in space are studied here. Let there be given a family of curves forming a boundary. It is asked if there exists a surface which satisfies the condition that the points of the boundary curve are bent by an angle  $\delta$  for a given value of  $\delta$ . This problem was first solved for a plane Riemann surface. In the present article the author solves this problem for a surface of revolution. The necessary and sufficient conditions are found so that a solution exists. The consequences of these results are the rigidity of the surface for certain relationships between  $\delta$  and the angle and for surfaces with a boundary on the other side, thus strengthening the Pogorelov theorem for the rigidity of surfaces satisfy-

Card 1/2

AP5017199

and the condition that the boundary points are a given distance from each

ASSOCIATION: none

SUBMITTED: 18May63

EVCL: 00

SUP COPY: M1

NUMBER: 002

OTHER: 000

JWPS

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

FOMENKO, V.T. (Rostov-na-Donu)

Infinitesimal inflections of convex surfaces with slide contact.  
Mat. sbor. 67 no.23310-328 Ja '65.

(MIRA 18:8)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

FOMENKO, V.T.

Infinitesimal flexures of surfaces in the case of sleeve connections.  
Dokl. AN SSSR 161 no.4:780-782 Ap '65. (MIRA 18:5)

1. Rostovskiy gosudarstvennyy universitat. Submitted November 9,  
1964.

23949-66 EWT(d) IJP(c)

ACC NR: AP6014959

SOURCE CODE: UR/0039/65/066/001/0127/0141

AUTHOR: Fomenko, V. T. (Rostov-na-Donu)

23

ORG: none

21

TITLE: Deformation of surfaces with the preservation of points of congruence

B

SOURCE: Matematicheskiy sbornik, v. 66, no. 1, 1965, 127-141

TOPIC TAGS: surface property, analytic function

ABSTRACT: A surface is said to be deformed if there exists a family  $S_t$  of surfaces which are isometric to it and which are continuous functions of  $t \in [0,1]$  and which contain this surface for some value of  $t$ . Two isometrically equivalent points of surfaces  $S$  and  $S_t$  respectively are called congruence points if in the corresponding directions passing through those points the normal curvatures coincide. If the points of the surfaces  $S$  and  $S_t$  are points of congruence for any  $t \in [0,1]$ , then the surface  $S$  is said to be deformed preserving the points of congruence. Here is proven the deformability of a surface with positive curvature which preserves the congruence of a finite or countable set of points. The proof is based on the investigation of the fundamental equations of surface theory.

16

Card 1/2

UDC: 513.736.4

2

L 23949-66

, ACC NR: AP6014959

and the application (to them) of the theory of generalized analytic functions as expounded in the book of I. N. VEKUA, "Generalized Analytic Functions," M. 1959. The properties of such surfaces are used here. A similar problem for infinitesimal deformations is considered by VEKUA in the above-mentioned book. Orig. art. has: 1 figure and 2 formulas. [JPRS]

SUB CODE: 12 / SUBM DATE: 21Oct63 / ORIG REF: 003

Card 2/2 ✓

ACC NR: AP7008904

SOURCE CODE: UR/0199/66/007/004/0939/0953

AUTHOR: Fomenko, V. T.

ORG: none

TITLE: Infinitesimal deformations of convex surfaces with boundary condition of generalized slip

SOURCE: Sibirskiy matematicheskiy zhurnal, v. 7, no. 4, 1966, 939-953

TOPIC TAGS: boundary value problem, mathematics

SUB CODE: 12

ABSTRACT: The problem of infinitesimal deformations of surfaces with the boundary condition of generalized slip, subject to certain constraints on surface and vector field  $\vec{t}$ , was previously studied by A. V. POGORELOV and by I. Kh. SABITOV. The following theorem was proved by POGORELOV: If vector field  $\vec{t}$  at each point M of edge L coincides with the direction of vector  $\vec{OM}$ , general convex surface  $S^o$  with the boundary condition of generalized slip permits exactly three linearly independent, infinitesimal deformations. SABITOV showed that this theorem remains valid if field  $\vec{t}$  along L differs little (in the sense of some norm) from vector field  $\vec{OM}$  and surface  $S^o$  is regular. The present article is devoted to evaluating the limits of variation of vector field

$\vec{t}$  within which the POGORELOV theorem remains valid, as well as evaluating the distribution density for vector fields of the given class for which the theorem is violated. A boundary value problem is formulated for the investigation of infinitesimal deformations of surfaces with the boundary condition of generalized slip. Conditions are given for the solvability of the problem, and

Card 1/2

UDC: 513.735

0929 1714

ACC NR: AP7008904

two theorems are formulated and proved. Orig. art. has: 1 figure and  
31 formulas. [JPRS: 38,417]

Card 2/2

GOSHIN, S.A., inzh.; LESEL', S.M., inzh.; FOMENKO, V.V., tekhn.

Semiautomatic machine for soldering cutter bits. Svar. proizv.  
no.6:37-38 Je '61. (MIRA 14:6)

1. Krasnoluchskiy mashinostroitel'nyy zavod.  
(Coal mining machinery--Welding)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

FOMENKO, V.V., gornyy inzh.

Stationary installation for covering clearances between cars.  
Ugol' Ukr. 6 no.5:30 My '62. (MIRA 15:11)  
(Mine railroads--Equipment and supplies)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

FOMENKO, V.Yu.; SHCHERBAKOVA, K.F.; ANISTRAT, N.D.; MISHUROV, Ye.M.

New data on the interrelations between the rocks of the middle  
and upper series in the Krivoy Rog Basin. Dokl.AN SSSR 108 no.3:  
535-537 My '56. (MLRA 9:8)

1. Predstavleno akademikom A.G. Betehtinym.  
(Krivoy Rog--Rocks)

AKIMENKO, N.M.; BELEVTSIEV, Ya.N.; GOROSHNIKOV, B.I.; DUBINKINA, R.P.;  
ISHCHENKO, D.I.; KARSHENBAUM, A.P.; KULISHOV, M.P.; LYASHCHENKO,  
K.P.; MAKSIMOVICH, V.L.; SKURIDIN, S.A.; SIROSHTAH, R.I.; TOKHTULEV,  
G.V.; FOMENKO, V.M.; SHCHERBAKOVA, K.F.; SEMENOV, M.V., red.izd-va;  
AVERKIYNOVA, T.A., tekhn.red.

[Geological structure and iron ores of the Krivoy Rog Basin]  
Geologicheskoe stroenie i zheleznye rudy Krivorozhskogo basseina.  
Moskva, Gos. nauchno-tekhn. izd-vo lit-ry po geologii i okhrane  
nedr, 1957. 278 p. (MIHA 11:3)  
(Krivoi Rog Basin--Geology)

BELEVTSOV, Ya.M.; AKIMENKO, M.M.; ZHILKINS'KIY, S.I.; SHCHERBAKOV, B.D.;  
TOKHTUYEV, G.V.; SIROSENKO, P.I.; YOMENKO, V.Yu.

Method for studying structures of the Krivoy Rog Basin. Geol. zhur.  
17 no.2:80-82 '57. (MLRA 10:11)  
(Krivoy Rog Basin--Geology, Structural)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

SHCHERBAKOVA, K.F.; FOMENKO, V.Yu.

Itabirites from the Krivoy Rog Basin. Zap. Vses. min. ob-va 87  
no.1113-115 '58. (MIRA 11:6)  
(Krivoy Rog Basin--Itabirite)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

SHCHERBAKOV, K.F., inzhener-geolog; FOMENKO, V.Yu., inzh.-geolog

Talc schist from the southern part of the Krivoy Rog Basin. Sbor.  
nauch. trud. NIGRI no.2:143-153 '59. (MIRA 14:1)  
(Krivoy Rog Basin—Schists)  
(Krivoy Rog Basin—Talc)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

SHCHERBAKOVA, K.F.; FOMENKO, V.YU. [Fomenko, V.IU.]

Classification of rocks in the upper strata along the borders  
of the Il'ich Mine Administration in the Krivoy Rog Basin. Geol.  
zhur. 19 no.1:86-90 '59. (MIRA 12:2)  
(Krivoy Rog Basin--Geology, Stratigraphic)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

SHCHERBAKOVA, K.F., inzhener-geolog; FOMENKO, V.Yu., inzhener-geolog

Characteristics of the upper stratum and its division in the limits  
of the Il'ich Mine in the Krivoy Rog Basin. Sbor. nauch. trud.  
NIGRI no.2:154-164 '59. (MIRA 14:1)  
(Krivoy Rog Basin—Geology, Stratigraphic)

BELEVSEV, Ya.N; KALYAYEV, G.I.; ZAGORUYKO,L.G.; SKURIDIN,S.A.; STRYGIN, A.I.;  
PEDYUSHIN, S.Ie.; FOMENKO, V.fu.

Krivoy Rog-Kremenchug metallogenetic zone.. Geol.rud. mestorozh. no.6:  
3-11 N-D '60. (MIRAL4:3)

1. AN USSR, Geologischeskiy institut, Kiyev.  
(Ukraine—Ore deposits)

BELEVSEV, Ya.N.; FOMENKO, V.Yu.; NOTAROV, V.D.; MOLYAVKO, G.I.; MEL'NIK, Yu.P.; SIROSHAN, R.I.; DOVGAN', M.N.; CHERNOVSKIY, M.I.; SHCHERBAKOVA, K.F.; ZAGORUYKO, L.G.; GOLOSHNIKOV, B.I.; AKIMENKO, N.M.; SEMERGEYEVA, Ye.A.; KUCHER, V.N.; TAKHTUYEV, G.V.; KALYAYEV, G.I.; ZARUBA, V.M.; NAZAROV, P.P.; MAKSIMOVICH, V.L.; STRUYEVA, G.M.; KARSHENBAUM, A.P.; SKARZHINSKAYA, T.A.; CHEREDNICHENKO, A.I.; GERSHOYG, Yu.G.; PITADE, A.A.; RADUTSKAYA, P.D.; ZHILKINSKIY, S.I.; KAZAK, V.M.; KACHAN, V.G.; STRYGIN, A.I., red.; LADIYEVA, V.D., red.; ZHUKOV, G.V., red.; YEPATKO, Yu.M., red.; SHCHERBAKOV, B.D., red.; SLENZAK, O.I., red.izd-va; RAKHLINA, N.P., tekhn. red.

[Geology of Krivoy Rog iron-ore deposits] Geologiia Krivorozhskikh zhelezorudnykh mestorozhdenii. Kiev, Izd-vo Akad. nauk USSR. Vol.1.[General problems in the geology of the Krivoy Rog Basin. Geology and iron ores of the deposits of the "Ingulets," Rakhmanovo, and Il'ich Mines] Obshchie voprosy geologii Krivbassa. Geologicheskoe stroenie i zheleznye rudy mestorozhdenii rudnikov "Ingulets," Rakhmanovskogo i im. Il'icha. 1962. 479 p.

(Krivoy Rog Basin--Mining geology) (MIRA 16:3)  
(Krivoy Rog Basin--Iron ores)

BELEVSEV, Ya.N.; FOMENKO, V.Yu.; NOTAROV, V.D.; MOLYAVKO, G.I.;  
MEL'NIK, Yu.P.; SIROSHAN, R.I.; DOVGAN', M.N.; CHERNOVSKIY,  
M.I.; SHCHERBAKOVA, K.F.; ZAGORUYKO, L.G.; GOROSHNIKOV, B.I.;  
AKIMENKO, N.M.; SEMERGEYeva, Ye.A.; KUCHER, V.N.; TAKHTUYEV, G.V.;  
KALYAYEV, G.I.; ZARUBA, V.M.; NAZAROV, P.P.; MAKSIMOVICH, V.L.;  
STRUYEVA, G.M.; KARSHENBAUM, A.P.; SKARZHINSKAYA, T.A.;  
CHEREDNICHENKO, A.I.; GERSHOIG, Yu.G.; PITADE, A.A.; RADUTSKAYA,  
P.D.; ZHILKINSKIY, S.I.; KAZAK, V.M.; KACHAN, V.G.; POLOVKO, N.I.,  
red.; LADIYEVA, V.D., red.; ZHUKOV, G.V., red.; YEPATKO, Yu.M.,  
red.; SLENZAK, O.I., red. izd-va; KULICHENKO, V.G., red.;  
RAKHLINA, N.P., tekhn. red.; MATVEYCHUK, A.A., tekhn. red.

[Geology of the Krivoy Rog iron ore deposits] Geologiya Krivo-  
rozhskikh zhelezorudnykh mestorozhdenii. Kiev, Izd-vo Akad. nauk  
USSR. Vol.1.[General problems of the geology of the Krivoy Rog  
Basin. Geology and iron ores of the "Ingulets," Rakhmanovskiy,  
and Il'ich ore deposits] Obshchie voprosy geologii Krivbassa.  
Geologicheskoe stroenie i zheleznye rudy mestorozhdenii rudnikov  
"Ingulets," Rakhmanovskogo i im. Il'icha. 1962. 479 p. Vol.2.[Ge-  
ology and iron ores of the Dzerzhinskiy, Kirov, Liebknecht, October  
Revolution, "Bol'shevik," Frunze, 22d Parts'ezd, Red Guard, and  
Lenin deposits] Geologicheskoe stroenie i zheleznye rudy mestorozhdenii  
im. Derzhinskogo, im.Kirova, im.K.Linkenkhta, im.XX parts'ezda, im.  
Krasnoi Gvardii i im.Lenina. 1962. 564 p. (MIRA 16:5)  
(Krivoy Rog Basin--Iron ores)

BLELVTSEV, Ya.N.; ZAGORUYKO, L.G.; KALYAYEV, G.I.; MOLYAVKO, G.I.; SKURIDIN, S.A.;  
STRYGIN, A.I.; FEDYUSHIN, S.Ye.; FOMENKO, V.Yu.

Metallogenetic features of the Ukrainian iron-ore province. Zakonom.  
razm. polezn. iskop. 5:82-109 '62. (MIRA 15:12)

1. Institut geologicheskikh nauk AN Ukrainskoy SSR.  
(Ukraine--Ore deposits)

BELEVTSOV, Ya.N.; BEYGULENKO, I.L.; BETIN, D.I.; BORISENKO, V.G.;  
GUBKINA, N.N.; DZHEDZALOV, A.T.; ZHILKINSKIY, S. I., prof.;  
ZALATA, L.F.; KAZAK, V.M.; MALYUTIN, Ye.I.; MUROMTSEVA, Z.G.;  
NATAROV, V.D., doktor geol.-miner. nauk; PANASENKO, V.N.;  
PITADE, A.A.; RADUTSKAYA, P.D.; SLEKTOR, S.M.; SMIRNOV, D.I.:  
TOKHTUYEV, G.V., kand. geol.-min. nauk; FOMENKO, V.Yu.;  
SLENZAK, O.I., red.izd-va; MATVEYCHUK, A.A., tekhn. red.

[Methodological guide for the geological service for the  
prospecting and mining of Krivoy Rog type deposits] Metodiches-  
koe rukovodstvo dlja razvedochnoi i rudnichnoi geologicheskoi  
sluzhby mestorozhdenii krivorozhskogo tipa. Pod red. IA.N.  
Belevtseva. Kiev, Izd-vo AN USSR, 1963. 395 p.

(MIRA 16:12)

1. Krivoy Rog. Gornorudnyy institut. 2. Chlen-korrespondent  
AN Ukr.SSR (for Belevtsev).

(Krivoy Rog Basin--Engineering geology)

AYZENBERG, D.Ye.; BELEVTSOV, Ya.N.; BORDUKOV, I.N.; BORISENKO, S.T.;  
BULKIN, G.A.; GORLITSKIY, B.A.; DOVGAN', M.N.; ZAGORUYKO,  
L.G.; KAZAKOV, L.R.; KALYAYEV, G.I.; KARASIK, M.A.; KACHAN,  
V.G.; KISELEV, A.S.; LAGUTIN, P.K.; LAZARENKO, Ye.K.;  
LAZARENKO, E.A.; LAPITSKIY, E.M.; LAPCHIK, F.Ye.; LAS'KOV,  
V.A.; LEVINSHTEYN, M.L.; MALAKHOVSKIY, V.F.; NITKEYEV, M.V.;  
PRUSS, A.K.; SKARZHINSKIY, V.I.; SKURIDIN, S.A.; SOLOV'YEV,  
F.I.; STRYGIN, A.I.; SUSHCHUK, Ye.G.; TEPLITSKAYA, N.V.;  
FEDYUSHIN, S.Ye.; FOMENKO, V.Yu.; SHKOLA, T.N.; SHTERNOV,  
A.G.; YAROSHCHUK, M.A.; ZAVIRYUKHINA, V.N., red.

[Problems of metallogeny in the Ukraine] Problemy metallo-  
genii Ukrayiny. Kiev, Naukova dumka, 1964. 254 p.

(MIRA 18:1)

1. Akademiya nauk URSR, Kiev. Instytut geologichnykh nauk.

MAGAK'YAN, I.G.; AKIMENKO, N.M.; BELEVTSOV, Ya.N.; GERSHOYG, Yu.G.;  
GRECHISHNIKOV, N.P.; KALYAYEV, G.I.; KARSHENBAUM, A.P.;  
KRAVCHENKO, V.M.; KULISHOV, M.P.; MAKSIMOVICH, V.L.; MEL'NIK,  
Yu.P.; PITADE, A.A.; SKURIDIN, S.A.; STRIGIN, A.I.; FEDORCHENKO,  
V.S.; FOMENKO, V.Yu.

Reviews and bibliography. Geol. rud. mestorozh. 7 no.3:113-  
117 My-Je '65.  
(MIRA 18:7)

FOMENKO, YA.

Tvorchestvo agronomov [Creative work of an agriculturist]. Moskva, Moskovskii rabochii, 1953. 54 p.

SO: Monthly List of Russian Accessions, Vol.6 No. 11 February 1954

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

POMENKO, Ya. (Zaporozh'ye-Melitopol'-Dzhankoy)

Farther south than Zaporozh'ye. Kryl.rod. 2 no.11:3-4 N '51.  
(Kakhouka Hydroelectric Power Station) (MIRA 8:8)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

FOMENKO, Ya.

The brains, honor, and conscience of our people. Komm.Vooruzh.  
Sil. 2 no.19:18-24 0 '61. (MIRA 14:9)  
(Communist Party of the Soviet Union)

FOPENKO, Ya.

In a house on Leningrad Avenue... Voen. znan. 41 no.4:22 Ap '65.  
(MIRA 18:3)

FOMENKO, Ya.A.

Methodology of calculating water yield to rivers of the Dnieper  
Basin during years of high floods. Trudy UkrNIGMI no.51:12-20 '65.  
(MIRA 18:9)

FUKENKO, YAKOV MIKHAYLOVICH

APP  
493412

OT STEK KREMLYA [FROM THE WALLS OF  
THE KREMLIN (ON JOURNEYS FROM THE  
ARCTIC OCEAN TO MOSCOW)] MOSKVA,  
MOJKOVSKIY RABOCHIY, 1957.  
241 P. ILUSTR., PORTS.

- 2(5)  
 Author: D'yakov, G.P., Candidate of Physical-Mathematical Sciences  
 Title: Survey of Papers Read by Scientists of Moscow University at the All-USSR Congress on Physics of Magnetic Materials (Obor dokhodov uchebnye i nauchno-issledovatel'skie na vsesoyuznykh soveshchaniakh po fizike magneticheskikh materialov) in Yaroslavl' Mokoroskogo Universiteta, Gor'kiy, uchenykh, mehanikov, astronomov, fizikov, 1955, tr. 2, pp. 247-250 (CCCP)  
 Periodical: Vestnik Mokoroskogo Universiteta, Gor'kiy, uchenykh, mehanikov, astronomov, fizikov, 1955, tr. 2, pp. 247-250 (CCCP)  
 Abstract: From December 6 - 11, 1957 there took place the fourth Congress on Physics of Magnetic Materials in Leningrad. (The first two meetings took place 1956 and 1958 in Kiev.) The congress was organized by a Academy of Sciences of the USSR, Department of Physics, Scientific Council on Fundamental Problems of Magnetism, Scientific Institute for Semiconductors of the Academy of Sciences, USSR, and Committee for Magnetism. There were more than 500 participants. There alone than the following lectures of the representatives of the following State University:  
 1. Professor N.V. Telenin, Ye.P. Kuritsyna, Lecturer "On the Velocity of Magnetic Reversal of the Ferromagnetic".  
 2. Professor A.V. Telenin, Ye.P. Kurbashina, Assistant "On Magnetic Viscosity of Ferrites".  
 3. Professor N.V. Telenin, I.G. Slobtsov, Assistant "Effect of Magnetic Viscosity on the Frequency Characteristics of Ferrites".  
 4. M.V. Dzygter, Lecturer "Variation of Structure and Anti-Ferromagnetic Properties of Ni<sub>3</sub>P".  
 5. M.M. Gibovskiy, Lecturer, S.M. Brodskaya, Junior Scientist "Assistant-Magnetic Properties of Antiferromagnetic Stones".  
 6. G.I. D'yakov, Lecturer "Magnetotraction Properties of Binary Alloys".  
 7. Professor Ye.I. Kondorkiy, Lit. Sobolev, Assistant "Electric Properties of Si-In Ferrites".  
 8. K.I. Mityasev, Senior Scientific Assistant, I.P. Parshnev, Assistant "Magnetic Properties and Structure of Manganese-Boron-Alloys".  
 9. E.I. Slobtsov, Senior Scientific Assistant, S.P. Belyov "Some Properties of Ferrites".  
 10. F.I. Chirkov, Senior Scientific Assistant, Ye.P. Telenin, Lecturer "Properties of Si-In Ferrites".  
 11. E.I. Slobtsov and Ye.I. Parshnev, Preliminary "Properties of Peritecetes in the Bi-Pt-Yttrium System".  
 12. Professor K.P. Belov, K.U. Kondorkiy, Ye.P. Telenin, Ye.P. Kurbashina, Ye.P. Brodskaya, Junior Scientist "Properties of Ferrites".  
 13. Ye.P. Belov, Ye.P. Telenin, Ye.P. Kurbashina, Junior Scientist "Galvanomagnetic Properties of Antiferromagnetic and Ferromagnetic Materials".  
 14. Ye.P. Telenin, Ye.P. Kurbashina, Ye.P. Brodskaya, Junior Scientist "Properties of Antiferromagnetic and Ferromagnetic Materials".  
 15. Professor Ye.P. Telenin, Ye.P. Kurbashina, Junior Scientist "Antiferromagnetic Properties of Ferrimagnetic Alloys Near the Curie Temperature".  
 The participants of the meeting visited a laboratory of the Institute of Technology of the Academy of Sciences of the USSR (Professor Ye.P. Telenin).  
 The meeting was organized by Professor N.V. Telenin, University of Yaroslavl'. Institute of Chemistry, USSR with the participation of the following Russian Institutes:  
 1. Institute of Physics and Mathematics, USSR.  
 2. Petrozavodsk Scientific Center, USSR.  
 3. Siberian Institute of Chemistry, USSR.  
 4. Institute of Geology and Mineralogy, USSR.

24(3)

SOV/48-23-3-18/34

AUTHORS: Smol'kov, N. A., Fomenko, Ye. I.

TITLE: Some Properties of Ferrites at Super High Frequencies (Nekotoryye svoystva ferritov na sverkhvysokikh chastotakh)

PERIODICAL: Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1959,  
Vol 23, Nr 3, pp 377-379 (USSR)

ABSTRACT: As Polder (Ref 1) has theoretically shown , a high-frequency plane-polarized electromagnetic oscillation is decomposed into two waves when passing through a magnetized ferromagnetic: one wave is left handed circularly polarized and one right-handed. The velocities of propagation in both waves are different. For this reason the resulting plane-polarized wave which emerges from the ferromagnetic shows a rotation of the polarization plane by  $\varphi$  (compared to the incident wave) - i.e. a Faraday effect may be observed which is similar to the optical one. Roberts (Ref 2) and Hogan (Ref 3) proved this experimentally with ferrites. Six diagrams are discussed. In the first diagram the rotation of the polarization plane in dependence of the external magnetic field H in a cylindrical magnesium-manganese-ferrite sample ( $Mg_{0.75}^{Mn_{0.25}}Fe_2O_4$ )

Card 1/2

SOV/48-23-3-18/34

Some Properties of Ferrites at Super High Frequencies

at a frequency of 9350 Megacycles is shown. In the second diagram the same is demonstrated for magnesium-nickel-manganese-ferrite. In the diagram 3a the damping of the polarized wave is shown in dependence of the external magnetic field ( $\gamma$  has a sharp maximum), and in 3b the dependence of the ellipticity on the external magnetic field is shown; d shows a minimum at the same place where  $\gamma$  has its maximum. The fourth diagram shows the dependence of the rotation of the polarization plane on the external magnetic field  $H$  for 6 different magnesium-manganese-ferrites. In the fifth diagram the angle of rotation of the polarization plane is shown for three different temperatures as a function of the mixing proportion between  $MnFe_2O_4$  and

$MgFe_2O_4$  at a field strength of  $H_0 = 460$  Oe. There are 5 figures and 9 references, 3 of which are Soviet.

Card 2/2

L00811-66 EWT(1)/EWA(h) ESD

ACCESSION NR: AP5015912

UR/0103/65/026/006/1112/1114

621.373.9:538.63

AUTHOR: Bogomolov, V. N. (Leningrad); Gerayzade, A. P. (Leningrad); Pogodin, V. I. (Leningrad); Fomenko, Ye. P. (Leningrad)

TITLE: Galvanomagnetic oscillator

SOURCE: Avtomatika i telemekhanika, v. 26, no. 6, 1965, 1112-1114

TOPIC TAGS: galvanomagnetic oscillator

ABSTRACT: An experimental galvanomagnetic oscillator with an InSb magnetoresistor is briefly described. The oscillator developed 4.4 w continuously or 10 w for a short time at 28 cps and water cooling (was immersed in water); the efficiency was 15% at 10 w. It is pointed out that the existing theory correctly describes the actual oscillator behavior: the discrepancy between the theoretical and experimental oscillatory currents is only 10%. A method of measuring the oscillator characteristics is given. Orig. art. has: 3 figures, 3 formulas, and 1 table.

ASSOCIATION: none

SUBMITTED: 22Feb64

ENCL: 00

SUB CODE: EC

Card 1/1

NO REF SOV: 002

OTHER: 001

L 5371-66 EWT(1)/EPA(s)-2

ACC NR: AP5024577

SOURCE CODE: UR/0292/65/000/009/0018/0019

AUTHOR: Berger, A. Ya. (Prof.); Vodyako, I. M. (Engr.); Fedorov, V. F. (Engr.);  
Fomenko, Yu. A. (Engr.); Oranskiy, M. I. (Candidate of technical sciences)

ORG: none

45

8

TITLE: Induction motors with protective enclosures

SOURCE: Elektrotehnika, no. 9, 1965, 18-19

TOPIC TAGS: induction motor 140 155

ABSTRACT: The induction motors whose stator winding -- and sometimes also the rotor -- are protected against corrosive medium by a nonmagnetic-material enclosure are considered. Simple formulas based on an equivalent circuit are offered which allow for the variation of motor characteristics due to the presence of the enclosure. Three induction motors (A51-4, A52-4, and A-42-2) equipped with 1Kh18N9T stainless-steel enclosures of different thicknesses and lengths were tested at 50 cps; also one of the motors was tested with a copper enclosure. These conclusions are reported: (1) The losses in the special-enclosure motors are higher and their specific power is lower than those of conventional motors; (2) Protective enclosures having

Card 1/2

UDC: 621.313.333.2

09011154

L 5371-66  
ACC NR: AP5024577

minimum thickness and length and a high resistivity are recommended; (3) The protective enclosure has no effect on the motor short-circuit parameters. Orig. art. has: 1 figures, 5 formulas, and 4 tables.

SUB CODE: EE/ SUBM DATE: 00/ ORIG REF: 001/ OTH REF: 003

OC  
Card 2/2

FOMENKO, Yu.I.

Experimental investigation of a series of guide nozzles on  
moorings. Trudy TSNIIMP no.15:70-81 '58. (MIRA 11:8)  
(Propellers--Testing)

FOMENKO, Yu.I.; ALCHUDZHAN, G.A.

Propulsive speed and maneuvering trials of the standardized  
"Inzhener Belov"-type cotton and lumber carriers. Inform. sbor.  
TSNIIIMF no.59. Tekh. ekspl.mor.flota no.7:22-37 '61. (MIRA 16:6)  
(Ship trials) (Freighters)

FOMENKO, Yu.I.

Design of a propeller with widened contour of the blade adapted  
for a guide nozzle. Trudy TSNIIMF 7 no.35:74-88 '61.

(MIRA 14:12)

(Propellers)

YEVREINOV, I.V., kand.tekhn.nauk, rukovoditel' raboty; ALFEROVA, N.V.,  
kand.tekhn.nauk; GOL'DENFON, A.K., kand.tekhn.nauk; ZINCHENKO, V.I.,  
kand.tekhn.nauk; KORCHAGIN, M.I., kand.tekhn.nauk; PANOV, V.A.,  
kand.tekhn.nauk; URBANOVICH, A.K., kand.tekhn.nauk; FOMENKO, Yu.I.,  
kand.tekhn.nauk; YAKOVSKIY, F.V., kand.tekhn.nauk; LISIN, V.N., inzh.;  
LYUTOV, I.L., inzh.; NEYELOV, A.N., inzh.; STRUMPE, P.I., kand.tekhn.  
nauk, otv.red.; DRANITSYN, S.N., kand.tekhn.nauk, zam.otv.red.;  
GOROBETS, V.A., kand.voyen.-morskikh nauk, red.; MAKSIMADZHI, A.I.,  
kand.tekhn.nauk, red.; ROZHDESTVENSKIY, N.A., kand.tekhn.nauk, red.;  
SYROMIATNIKOV, V.F., kand.tekhn.nauk, red.; LEBEDEVA, N.S., red.;  
STUL'CHIKOVA, N.P., tekhn.red.

[Methods of testing the thermodynamic efficiency of marine diesel  
engine power plants] Metodika teplotekhnicheskikh ispytanii  
dizel'nykh sudovykh ustyanovok. Leningrad, 1962. 165 p. (Leningrad.  
TSentral'nyi nauchno-issledovatel'skiy institut morskogo flota.  
Informatsionnyi sbornik, no.83/84. Tekhnicheskaya ekspluatatsiya,  
no.18/19). (MIRA 16:10)

1. Nachal'nik otdela tekhnicheskoy ekspluatatsii sudovykh silovykh  
ustyanovok TSentral'nogo nauchno-issledovatel'skogo instituta morskogo  
flota (for Yevreinov). 2. TSentral'nyy nauchno-issledovatel'skiy  
institut morskogo flota (Alferova, Gol'denfon, Zinchenko, Korchagin,  
Panov, Urbanovich, Fomenko, Yakovskiy, Lisin, Lyutov, Neyelov).

FOMENKO, Yu.I.

Propulsive and manoeuvring trials of the motorship "Kirghizistan."  
Inform. sbor. TSNIIMF no.75 Tekh. ekspl. mor. flota no.14:20-33  
'62. (MIRA 16:3)

(Ship trials)

(Ship propulsion)

FOMENKO, Yu.I.; ALCHUDZHAN, G.A.

Propulsive and manoeuvring trials of the passenger motorship "Grigorii Ordzhonikidze." Inform. sbor. TSNIIMF no.75. Tekh. ekspl. mor. flota no.14:3-19 '62.  
(Ship trials) (Ship propulsion) (MIRA 16:3)

L (0005-0) SWI(u)/FWI(l)/EWT(m)/ENF(w)/ENF(v)/T-2/EWF(k) (series) EW EM/JAT(C2)

ACC NR: AT6014315 (N) SOURCE CODE: UR/2752/63/000/049/0102/0114

7/  
B+1

AUTHOR: Fomenko, Yu. I. (Candidate of technical sciences)

ORG: None \*

TITLE: Calculating the clearance between the end of the blade and the nozzle wall in designing a nozzle-propeller system

SOURCE: \* Leningrad. Tsentral'nyy nauchno-issledovatel'skiy institut morskogo flota. Trudy, no. 49, 1963. Gidromekhanika sudna (Hydromechanics of ships), 102-114

TOPIC TAGS: propeller blade, marine engineering, nozzle design

ABSTRACT: The author points out the advantages of designing screw propeller systems on the basis of systematic tests of models over the use of the vortex theory and proposes a method for designing systems with screw propellers in guide nozzles using design curves plotted from systematic test series of nozzle and propeller models made in 1958-1959 by the order of the Central Scientific Research Institute of the Maritime Fleet in an experimental tank. The proposed method does not require knowledge of the vortex theory and the designer may plan a nozzle-propeller system rapidly and with simple calculations accounting for cavitation, strength, blade thickness and the clearance between the end of the blade and the nozzle wall. The hydrodynamic design curves are plotted in  $K_s - \lambda_e$  and  $\sqrt{K}_2 - \lambda_e$  coordinates. These diagrams are similar to those used

Card 1/2

50005-51

ACC NR: AT6014315

0

for designing screw propellers without guide nozzles. Points corresponding to optimum diameters and optimum rpm are indicated on the curves. Interaction between the propeller system and the hull is considered, and the additional suction force generated by the nozzle is discussed. An example is given illustrating application of the proposed method to design of a nozzle-propeller system for a small tanker. The results show that the correction for clearance between the blade and guide nozzle causes a considerable change in the theoretical velocity of the ship and in the design of screw propeller elements. Orig. art. has: 4 figures, 5 tables, 20 formulas.

SUB CODE: 13/ SUBM DATE: none/ ORIG REF: 009/ OTH REF: 001

21/

awm

Card 2/2

L 05655-67 EWP(k)/EXT(m)/T-2/EWP(w)/EWP(v) IJP(c) EN

ACC NR: AT6025574 (N) SOURCE CODE: UR/2754/66/000/072/0060/0070

AUTHOR: Fomenko, Yu. I. (Candidate of technical sciences)

52  
B+1

ORG: None \*

TITLE: Effect which the shape of the screw vortex system has on the hydrodynamic characteristics of the "screw propeller-guide nozzle" complex

SOURCE: Leningrad. Tsentral'nyy nauchno-issledovatel'skiy institut morskogo flota.  
Trudy, no. 72, 1966. Gidromekhanika sudna (Hydromechanics of ships), 60-70

TOPIC TAGS: hydrodynamics, fluid mechanics, vortex flow, propeller blade, marine engineering

ABSTRACT: The author generalizes Lavrent'yev's screw-nozzle theory (Lavrent'yev, V. M., "Design of Marine Screw Propellers", Leningrad, izd-vo "Morskoy transport", 1949) to the case of nonuniform loading along the disc of the screw. The problem reduces to Fredholm's linear integral equation of the first kind which is derived from the condition of a constant stream function on the contour of the nozzle. This integral equation is solved for the cases where the semi-infinite vortex cylinder substituted for the screw has a constant diameter equal to that of the screw and where this cylinder has a diameter greater than that of the screw. The counterflow and nozzle-induced velocities are theoretically calculated by the proposed method for a specific nozzle. The results show completely satisfactory agreement with experimental data

Card 1/2

UDC: 629.12:532.582.5.001.5

L 05655-67

ACC NR: AT6025574

which indicates that the proposed method may be used for finding the basic hydrodynamic characteristics and distribution of nozzle-induced velocities in designing screw complexes with nozzles of any shape. Orig. art. has: 10 figures, 3 tables, 9 formulas.

SUB CODE: 13/ SUBM DATE: None/ ORIG REF: 004

MS  
Card 2/2

PAVLOV, I.M.; SUVOROV, I.K.; ROMENKO, Yu.I.

Improved cylindrical torsionmeter with a cut-in strip. Izv.  
vys.ucheb.zav.; chern.met. no.5:72-75 '60.  
(MIRA 13:6)

1. Moskovskiy institut stali.  
(Torsion) (Measuring instruments)

## PHASE I BOOK EXPLOITATION 37W/782

Moscow. Institut stali

Prodvodstvo i obozrenie stali i spisov (Production and Treatment  
(Series: Itsp. Sbornik, 39) 2,100 copies printed.Ed.: Ye. A. Borodin, Ed. of Publishing House; S. L. Zinger, Tech.  
Editor; N. M. Klymenko, Editorial Council of the Institute; M. A.  
Dobrotin, Professor, Doctor of Technical Sciences; N. M. Grigorjan,  
Doctor of Technical Sciences; A. A. Zhukovskij, Professor,  
Doctor of Technical Sciences; I. M. Kislitsa, Professor, Doctor of Tech-  
nical Sciences; A. P. Krubakov, Professor, Doctor of Technical  
Sciences; I. M. Pavlov, Corresponding Member, Academy of Sciences  
USSR; and A. M. Polivnjev, Professor, Doctor of Technical Sciences.

**PURPOSE:** This book is intended for technical personnel in industry,  
scientific institutions and schools of higher education, dealing  
with open-hearth and electric-furnace steelmaking, metal rolling,  
physical metallurgy, metallography, and heat-treatment. It may  
also be used by students specializing in these fields.

**CONTENTS:** The book contains results of theoretical and experimental  
investigations of metallurgical and heat-engineering processes  
in open-hearth and electric furnaces. Data are included on the  
rolling, deoxidizing, or 16% iron outside the blast furnace,  
interaction of oxides of the carbide-forming metals with solid  
carbon, the change of content of gases in the bath of the open-  
hearth furnace in various periods of rolling, intensification of  
the electric melting of steels, etc. Other articles deal with  
the nonuniformity of deformation in rolling, the study of the  
ellipticity coefficient, the dependence of the friction —  
other problems in rolling on a number of factors, and  
physical results and the theoretical principles and techniques  
of the heat treatment of steel are also included. No personali-  
ties are mentioned. References accompany most of the articles.  
There are 207 references, both Soviet and non-Soviet.

Card 2/10

- Pavlov, I. M. and P. I. Davydov, Candidate of Technical Sciences  
(Department of Rolling). Relationship Between Friction Coefficient  
and [Surface] Smoothness of Rolls in Cold Rolling 113
- Polyakov, P. I. — I. G. Astashov, Candidate of Technical Sciences,  
Department of Rolling. Engineer, and N. V. Protsenko, Engineer  
Rolling of Steel Angles 132
- Serebrenko, V. P. Doctor of Technical Sciences, and I. D. Klymenko,  
Editor-in-Chief [Department of Rolling]. Application of Radioactive  
Isotopes for Studying Certain Phenomena Taking Place in Plastic  
Deformation of Steel 153
- Pavlov, I. M. and A. V. Krylov, Candidate of Technical Sciences  
In Department of Rolling. Effect of the Orientation of Defects  
in Metal on the Stress Concentration 161
- Polyakov, M. M. Candidate of Technical Sciences [Department  
of Rolling]. Slippage in Rolling 173

Card 5/10

S/148/60/000/007/005/015  
A161/A029

AUTHORS: Osadchiy, V.Ya.; Fomenko, Yu.Ye.; Yeriklintsev, V.V.; Baykov, V.P.

TITLE: Metal Pressure on the Piercing Mill Rolls

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Chernaya metallurgiya, 1960, Nr 7, pp 103-110

TEXT: An experimental investigation at Nikopol'skiy Yuzhnortrubnyy zavod (Nikopol' Tube Works) is described. The purpose was to study the dynamics of the process, which is important for full utilization of the power and mechanical strength of rolling mills, as well as for establishing an optimum rolling process technology. The "400" installation of the plant used for experiments consists of two continuous heating furnaces; two piercing mills (with 960-860 mm diameter rolls and 2,350 kw motor); one reheating furnace before the spreading mill; an automatic spreading mill; two rolling-over mills; one sizing mill, and a cooler with a straightening machine. Both piercing mills are operating only when rolling large-diameter and thin-walled tubes. Otherwise the piercing mill Nr 2 operates alone. It produces billets in a single piercing. Metal pressure on the

✓

Card 1/3

S/148/60/000/007/005/015  
A161/A029

Metal Pressure on the Piercing Mill Rolls

piercing mill rolls was measured with dynamometers placed between the screwdowns and the work roll bolster (Figure 1), in especially prepared casings (Figure 2). Pressure oscillograms are shown (Figure 3) and "decoded" (in Table 1). No sufficiently accurate theoretical or experimental data are yet available on the dependance of specific metal pressure on the basic piercing process parameters, and data obtained by experience are usually being employed in calculations of the piercing mill parts and technology. In the described investigation, mean pressure was determined by dividing the experimentally determined full metal pressure on the rolls by the contact area between the metal and the rolls:

$$p = \frac{P}{s} \text{ kg/mm}^2.$$

A.I. Tselikov's method /Ref 3/ was used for determining the contact area, taking into account the ovality of the billet. The mean specific pressures are given in a table (Table 2). It was stated that for alloy steel the mean specific pressure is  $10-14 \text{ kg/mm}^2$ , and for carbon steel it reaches  $7.5-12 \text{ kg/mm}^2$ , which matches the data obtained in other investigations /Refs 1, 4 and 5/. The following conclusions were drawn: 1) In the two piercing mills studied the pressure was 33-92 ton, which is not high for this type of mills. In rolling

Card 2/3

Metal Pressure on the Piercing Mill Rolls

S/148/60/000/007/005/015  
A161/A029

stainless and alloy steel the pressure is higher than in rolling carbon steel, provided that axial slip has no dominating effect as is the case in rolling 168x8 mm tubes of X 5BФ (Kh5VF) and 168x10 mm tubes of X 5 (Kh5) steel tubes. When rolling tubes of equal diameter but different wall thickness, the pressure curve has a maximum. 2) The pressure on the inlet side screwdown is higher than on the outlet side screwdown: by 2-3 times in the piercing mill Nr 1, and 2-4 times in the Nr 2. Load on the outlet side bearings being much lower, their rated life time may be increased 2-3 times. 3) Only slip (lag) of metal was observed in the deformation zone, lead was absent. The axial slip coefficient was between 0.48 and 0.90. There are 8 figures and 5 Soviet references.

ASSOCIATION: Moskovskiy institut stali (Moscow Steel Institute)

SUBMITTED: June 24, 1959

Card 3/3

POLUKHIN, P.I., doktor tekhn.nauk; ASTAKHOV, I.G., kand.tekhn.nauk;  
SOLOV'YEV, A.I., inzh.; FOMENKO, Yu.Ye., inzh.

Investigating the continuous rolling process of angle steel.  
Sbor.Inst.stali no.39:132-152 '60. (MIRA 13:7)

1. Kafedra prokatki Moskovskogo ordena Trudovogo Krasnogo  
Anameni instituta stali im. I.V.Stalina.  
(Rolling(Metalwork))

S/148/60/000/009/013/025  
A161/A030

AUTHORS: Pavlov, I.M., Suvorov, I.K., and Fomenko, Yu.Ye.

TITLE: An investigation of scale on free-cutting steel and its effect on friction in rolling

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Chernaya metallurgiya, no. 9, 1960, 95-101

TEXT: Free-cutting steel causes difficulties in rolling, i.e. the grip of the rollers is not firm, the rollers slip on metal, the metal cracks and tears. Same difficulties are experienced with this steel abroad. The steel per GOST 1414-54 standard contains 0.08-0.30% S, up to 0.15% P and 0.45% C. Sulphur content sometimes reaches 0.5%. The causes of the trouble in rolling have not yet been investigated and no data on the matter exist in works on the melting, deoxidation and teeming of free-cutting steel (Ref. 1-4). The described investigation has been carried out in rolling in a "750" billet mill, with free-cutting "A12" and "A12A" and structural steel for comparison. Scale was collected from under the rolls in the mill

Card 1/3

An investigation of scale ...

S/148/60/000/009/013/025  
A161/A030

and from ingots. The temperature of scale softening was determined in an installation of Kafedra metallurgii chuguna MIS (The Chair of Iron Metallurgy of MIS) used for testing the softening of ore and sinter (Fig.1). The softening point of the furnace scale was found at 1050°C. The softening point changed in rolling: 1000°C after the second pass; 950° after the third; 850° after the fifth and the seventh; 900° after the ninth. It drops from 1050° in the first pass to 850°, and rises again after the seventh. The content of C in the scale varied from 0.01 to 0.02%; of Mn from 0.6 to 0.7%; Si from 0.15 to 0.96%. The S content varied drastically: furnace scale contained 0.032-0.039% S, this content was maintained in the first and second pass, but in the third pass it rose to 0.15% and reached 0.39% in the fifth, then dropped to 0.15% in the seventh pass and to 0.10% after the ninth. Sulphur content in structural "20" steel scale was considerably lower. Curves of the sulphur content variation are shown (Fig.5). The curve of the roller grip (Fig.1) clearly shows the influence of the sulphur content in the scale - gripping becomes difficult with a higher sulphur content. The sulphur distribution in the metal was investigated by Baumann sulphur prints and by chemical analysis taken from different

Card 2/6  
3

S/148/60/000/009/013/025  
A161/A030

An investigation of scale ...

portions of ingots and from rolled strip. It varied only insignificantly. Conclusions: 1) A difficult grip is characteristic of free-cutting steel compared with other steel grades. 2) The chemical composition of the scale changes in the rolling process, particularly the sulphur content. 3) The softening point of the scale collected in the rolling process is in the range 850-1050°C, and the softening point is lower with a higher sulphur content. 4) Increased sulphur content in the scale makes the gripping difficult. 5) The segregation of sulphur is insignificant in rolled steel and in ingots. 6) Sulphur segregation is not clearly expressed in steel with a high sulphur content; the sulphur content difference is low on a different level and across in the ingots. 7) The sulphur distribution is more even in free-cutting steel deoxidized with aluminum, and the size of sulphurous inclusions is smaller. 8) The sulphur distribution improves in rolled metal during the rolling process. This is more clearly expressed in "A12A" steel deoxidized with aluminum. There are 5 figures, 3 tables and 5 Soviet-bloc references.

ASSOCIATION: Moskovskiy institut stali (Moscow Steel Institute)

SUBMITTED: 26 January 1960

Card 3/6  
3

S/146/00/000/011/006/015  
A161/A030

AUTHORS: Pavlov, I. M.; Suvorov, I. K., Fomenko, Yu. Ye.

TITLE: Investigation of free-cutting steel alloyed with titanium

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy. Chernaya metallurgiya, no. 11, 1960, 61 - 65

TEXT: As had been stated in a previous investigation (Ref. 1, same authors, Izv. vyssh. uch. zav. Chern. Metallurgiya, 1960, No. 7, 9) the cause of the difficult grip in rolling "A12" steel is the high sulfur content in scale. It lowers the softening point of scale, turning it into a lubricant. Besides, this steel contains low-melting Fe-FeS eutectic which can also decrease friction and this drastically decreases the plasticity of steel at the rolling temperature and the strip ends thus become rugged. Data of a work on systems Fe-Ti-S and Fe-Ti-C-S (Ref. 5, Fishel, V. Ru., D. Ellis. The desulfurizing effects of titanium in steel, "Stal'", 1953, No. 2) lead to the conclusion that the addition of titanium may improve the workability of hot steel, but there are no data in literature that would indicate the effect of titanium on the rolls grip on sulfurous steel.

Card 1 / 3

Investigation of free-cutting steel alloyed .... S/148/60/000/011/006/015  
A161/A030

as well as the machinability and mechanical properties. Experiments have been carried out to this end at the electrometallurgical laboratory of the Moscow Steel Institute. The most even distribution in sulfides has been found in ingots alloyed with 0.19 % Ti. The machinability was tested by the standard "Two-cutters method" consisting in cutting with two cutters on a lathe (in this instance one cutter was carbide tipped and the other made of free-cutting steel), with electric wires welded to the cutters and connected to a galvanometer; the e.m.f. appearing in the circuit due to different thermoelectric properties of the cutters is proportional to the heat forming in the metal being machined, and the higher the resistance to cutting is, the higher the current in the circuit. "A12" steel with 0.19 % Ti had the same machinability as the common steel without Ti, but the machinability was perceptibly worse when the Ti content was over 0.2 %. The friction factor in "A12" steel with 0.2 % Ti was considerably higher than in normal "A12" steel and even higher than in rolling the CT.3 (St.3) steel. Conclusion: Sulfurous "A12" steel with titanium has a high machinability, high friction factor in rolling and will cause no gripping diffi-

Card 2/3

S/148/60/000/011/006/015  
Investigation of free-cutting steel alloyed .... A161/A030

culty; the effect of titanium addition on plasticity at high temperature is positive. There are 5 figures, 5 Soviet references and 1 non-Soviet,

ASSOCIATION: Moskovskiy institut stali (Moscow Steel Institute)

SUBMITTED: May 14, 1960

Card 3/3

FOMENKO, Yu. Ye. Cand Tech Sci -- "Study of the ~~rolling process~~ <sup>process of</sup> of A-12 automatic  
steel in connection with ~~conditions of~~ friction." Mos, 1961 (Acad Sci USSR.  
Inst of Metallurgy im A. A. Baykov). (KL, 4-61, 201)

250  
- - -

SUVOROV, I. K., kand. tekhn. nauk; FOMENKO, Yu. Ya., kand. tekhn. nauk;  
KUDRYAVTSEV, A. S., inzh.; PAPCHENKO, V. I., inzh.

Investigating the coefficient of the position resultant  
during hot rolling in cylindrical rolls. Sber. Inst. stali  
i splav. no.40:130-137 '62. (MIRA 16:1)

(Rolling(Metalwork))

POLUKHIN, P. I., prof., doktor tekhn. nauk; MASTEROV, V. A., inzh.;  
FOMENKO, Yu. Ye., kand. tekhn. nauk

Complex investigation of contact pressure and friction forces  
during rolling. Sber. Inst. stali i splav. no.40:166-172  
'62. (MIRA 16:1)

(Rolling(Metalwerk))  
(Pressure—Measurement)  
(Friction—Measurement)

POMENKO, Yuryi Yevgen'yevich; FAYNSHTEYN, Vladimir Maksovich;  
POZIN, Mikhail Solomonovich; LANOVSKAYA, M.R., red.izd-va;  
ISLENT'YEVA, P.G., tekhn. red.

[Operator of guillotine shears] Rezchik gil'otinnykh nozh-nits. Moskva, Metallurgizdat, 1963. 157 p. (MIRA 16:9)  
(Shears (Machine tools))

DMITRIYEV, V.D.; SHEVAKIN, Yu.F.; FOMENKO, Yu.Ye.

Characteristics of the rolling of electrically welded stainless  
steelpipe on KhPt mills. Izv. vys. ucheb. zav.; chern. met. 7  
no.11:100-104 '64. (MIRA 17:12)

1. Moskovskiy institut stali i splavov.

ZOLOTAREVA, A.I.; FOMENKO, Z.F.

Clays of the western provinces of the Ukraine as a raw material  
for preparing drilling muds. Trudy UkrNIGRI no.5:326-337 '63.

Selecting clays for welldrilling in the eastern part of the Ukraine.  
Ibid.:338-344 (MIRA 18:3)

FOMENKO, Z.F.; ZOLOTAREVA, A.I.; SENTSYUK, V.P.

Alcohol oils as an antifoaming-reagent for clay muds.  
Neft. i gaz. prom. no.2:32-33 Ap-Je '64. (MIRA 17:9)

FOMENKO, Z.F.; ZOLOTAREVA, A.I.; SENTSYUK, V.P.

Field testing of carbolineum, a new antifoamer. Neft. i gaz.  
prom. 3:33-34 Jl-S '65. (MIRA 18:11)

ZOLOTAREVA, A.I.; FOMENKO, Z.F.; SHCHERBAKOVA, A.P.

Composition of water soluble salts in rocks of the Dolina oil  
field and its effect on the parameters of clay muds. Trudy  
UkrNIGRI no.7:126-130 '63.

(MIRA 19:1)

L 19839-65 EWT(m)/EWA(d)/EWP(f)/T/EWP(t)/EWP(k)/EWP(b) Pf-4 ASD(f)-3/  
ASD(m)-3/AFMDC MJW/JD/SM/BW

ACCESSION NR: AP4049063

8/0148/64/000/011/0100/0104

AUTHOR: Dmitriyev, V. D.; Shevakin, Yu. F.; Fomenko, Yu. Ye.

B

TITLE: Peculiarities in the rolling of arc-welded pipes of stainless steel on KhPT milling machines.

SOURCE: IVUZ, Chernaya metallurgiya, no. 11, 1964, 100-104

TOPIC TAGS: stainless steel, stainless steel pipe, stainless steel rolling are welded pipe, pipe mill, steel rolling mill, stainless steel structure, steel Kh15N10T, KhPT rolling mill

ABSTRACT: Microscopic analyses and comparisons with Scheffler's diagrams have shown that the surface near the welded joints of pipes made of Kh15N10T steel are due to the presence of cracks and that the cracks do not appear when the reduction is 1-5% when the joints are not cleaned before welding. The reduction of 10% causes reduction in both pipe diameter and wall thickness. Pipes with diameters 22 and 25 mm were quenched from 1100°C and samples from them were analyzed by microstructural analysis. Cracks appearing at the surface of the pipe surface were observed at 6 mm when the reduction in diameter reached 45%, and were due to the presence of tension at that spot and the differing properties of the metal at the seam. Though metallographic analysis showed that quenching brought the seam nearer uniformity with the

sec 1/2

L 19839-65

ACCESSION NR: AP4049063

2

other sections, milling led to the new appearance of cracks at the seams. This was corrected by choosing the correct angle of setting on the milling machine, since the reduction in diameter of the pipe is increased by an increase in setting angle. The calibration of the machine was determined by Yi. F. Shevaldin's functional method. Thus, the difference between forward and reverse strokes was minimized, and the welded pipes had mechanical and technological characteristics approaching those of seamless pipes. (fig. art. has: 6 photomicrographs, 2 drawings, and 1 table.

ASSOCIATION: Moskovskyi institut stali i splavov (Moscow Institute of Steel and Alloys)

SUBMITTED: 21Feb64

ENCL: 00

SUB CODE: MM

NO. REF Sov: 006

OTHER: 003

Cc: 1 2/2

FOMENKOV, A. I.

"The Depth Gauge Indicator Produced by the Kraenyy Instrumental'shchik Plant" Stanki i  
Instrument, 10, No. 6, 1939.

Report U-1505, 4 Oct 1951.

FOMENKOV, A. I.

"A Device for Demagnetizing Measuring Tools," Stanki i Instrument, 10, Nos. 10-11, 1939.

Report U-1505, 4 Oct 1951.

FOMENKOV, A. P. (Grad Stud)

Dissertation: "The Power and Dynamics of the Threshing Drum of the 'MKS-1100' Thresher When Its Productive Capacity Is Increased." Cand Tech Sci, Moscow Inst for the Mechanization and Electrification of Agriculture imeni V. M. Molotov, 18 Jun 54. (Vechernaya Moskva, Moscow, 9 Jun 54)

SO: SUM 318, 23 Dec 1954

FOMENKOV, A.P., kandidat tekhnicheskikh nauk.

Methods of determining the moment of inertia of agricultural machines in operation. Sel'khozmashina no.3:13 Mr '56.

(MIRA 9:7)

1. Chelyabinskij institut mekhanizatsii i elektrifikatsii sel'skogo gospodstva.  
(Moments of inertia) (Agricultural machinery)

NAZAROV, G.I., doktor tekhn. nauk; OLEYNIK, N.P.; FOMENKOV, A.P.;  
YUNOVSKIY, I.M.; SOLODENIKOVA, G.A., red.

[Principles of electric drives and use of electrical  
energy in agriculture] Osnovy elektroprivoda i primenenie  
elektricheskoi energii v sel'skom khoziaistve. [By] G.I.  
Nazarov i dr. Moskva, Kolos, 1965. 391 p.

(MIRA 18:7)

1. Chlen-korrespondent Vsesoyuznoy akademii sel'skokho-  
zyaystvennykh nauk imeni V.I.Lenina (for Nazarov).

FOMENKOV, B.P.

Structural characteristics of phlogopite deposits of the Kuranakh group in southern Yakutia and method of prospecting for phlogopite bodies. Izv.vys.ucheb.zav.; geol.i razv. 1 no.9:82-91  
S '58. (MIRA 12:9)

1. Moskovskiy geologorazvedochnyy institut im. S.Ordzhonikidze,  
Kafedra metodiki poiskov i razvedki mestorozhdeniy poleznykh  
iskopayemykh.  
(Kuranakh Valley--Phlogopite)

FOMENKOV, B. P., Candidate Geolog-Mineralog Sci (diss) -- "The geological structure of the Kuramakh group of deposits and the principles of prospecting for concealed phlogopite-bearing bodies (souther Yakutia)". Moscow, 1959. 16 pp  
(Min Higher Educ USSR, Moscow Geological-Prospecting Inst im S. Ordzhonikidze),  
120 copies (KL, No 24, 1959, 131)

FOMENKOV, B.P.

Structural types of phlogopite deposits and their evaluation.  
Izv.vys.ucheb.zav.;geol. i razv. 4 no.8:52-59 Ag '61. (MIRA 14:9)

1. Moskovskiy geologorazvedochnyy institut imeni S. Ordzhonikidze.  
(Yakutia—Philogopite)

FOMENKOV, B.P.

Methodology of prospecting for phlogopite deposits. Razved. i  
okh. nedr 27 no.9;10-13 S '61. (MIRA 17:2)

1. Moskovskiy geologorazvedochnyy institut.

FOMENKOV, B.P.; KORCHAGIN, A.M.

Concerning the regularities of the distribution of the vermiculite zones  
in the Inagli massif (southern Yakutia). Izv. vys. ucheb. zav.; geol i  
razv. 7 no.10;61-66 O '64. (MIRA 18;7)

1. Moskovskiy geologorazvedochnyy institut im. S.Ordzhonikidze.

FOMENKOV, N.

We should continuously improve mining techniques. Mast.ugl.4  
no.8:5 Ag'55. (MIRA 8:10)

1. Brigadir prokhodchikov shakhty no.1 imeni Chelyuskintsev  
Stalinskoy oblasti  
(Donets Basin--Coal mines and mining)

Povil, E N; Naumov, Boris Nikolayevich; Neferov, N. V. Tsyplkin, Ya I;

"Study of the Frequency Regulation Process in the System Moscow-Kuibyshev,"  
Scientific Report of the Inst of Automation and Telemechanics, USSR Acad of  
Sciences, 1952.

Petukh, I. A.; Shchelcunova, L. A.; Isakov, Boris Nikolayevich; Iaverev, A. V.  
Tsypkin, Ya. Z.

"Investigation of the Velocity Regulation Process in the System  
Moscow-Kuibyshev, with Special Reference to the Phenomenon of the Retardation  
In the Kuibyshev Hydroturbine," Scientific Report of the Inst. of Automation  
and Telemechanics, USSR Acad. of Sciences, 1952.

FOMICH, M.F.

Outbreak of murine typhus salmonellosis. Zhur. mikrobiol. epid.  
i immnun 28 no.2:134 P '57 (MLRA 10:4)

1. Iz laboratorii sanitarno-epidemilogicheskoy stantsii Stalinska.  
(SALMONELLA) (TYPHUS FEVER)

FOMICHENKO, A.; KISELEV, A.

Centralized maintenance and repair of automobiles in Simferopol'.  
Avt. transp. 37 no.7:16-19 J1 '59. (MIRA 12:10)

- 1.Glavnyy inzhener Krymskogo avtotresta (for Fomichenko).
- 2.Nachal'nik otdela Ukrdottransii (for Kiselev).  
(Simferopol'--Mototrucks--Maintenance and repair)

FOMICHENKO, I., prof., general-mayor v otstavke; STAVITSKIY, I., polkovnik,  
kand. istoricheskikh nauk

"The CPSU is the leader and educator of the Red Army, 1918-1920"  
by IU.P.Petrov. Reviewed by I.Fomichenko, I.Stavitskii. Komm.  
Vooruzh.sil 2 no.7:88-93 Ap '62. (MIRA 15:3)  
(Russia—Revolution, 1917-1921) (Petrov, IU.P.)

POMICHENKO, K.F.

Features of carbohydrate metabolism and energy exchange in  
the brain following stimulation of the gastric receptors.  
Trudy Inst.fisiol.AN BSSR 3:140-154 '59. (MIRA 13:7)

1. Laboratoriya biokhimii Instituta fisiologii AN BSSR.  
(METABOLISM) (STOMACH--INNervation)

L 63/60-63 1965(j)/EXT(17)  
ACCESSION NR: AP5011069

UR/0250/68/009/003/0199/0201

AUTHOR: Fomichenko, K. V.; Lis'ko, N. A.

19

TITLE: Proteinogram of blood serum after chronic X irradiation

17

SOURCE: AN BSSR. Doklady, v. 9, no. 3, 1965, 199-201

8

TOPIC TAGS: blood serum, protein electrophoresis, protein, X ray, radiobiology

19

ABSTRACT: Paper electrophoresis was used to determine the effects of chronic (one month), fractional X irradiation (760 r) on the protein constituents in rat serum. Chronic irradiation considerably altered the electrophoretic protein pattern, mainly by reducing the relative content of the albumins and elevating that of the gamma globulins. The late globulin level dropped on the second day after exposure, but it did not rise again; it remained unaffected. The changes in albumins and gamma globulins were evident for more than 90 days. The decrease in albumin is probably due to the slow entry of these proteins into the blood from the lymphatic vessels and connective tissue. The elevated level of the gamma globulins is apparently related to the pathological state of the organism after irradiation. The increase in gamma globulins is a pathogenic factor, for the excretion of which is increased.

Card 1/2

L-53760-65  
ACCESSION NR: AP5011Q89

long time (until the end of the investigation). Orig. art. has: 1 table.

2

ASSOCIATION: Laboratoriya biokhimii Instituta fiziologii AN BSSR (Biochemistry Laboratory, Institute of Physiology AN BSSR); Belorusskij gos. pedagogicheskij universitet (Belorussian State University)

SUBMITTED: 07Mar64

ENCL: 00

SUB CODE: LS

NO CCC: 000

OTHER: 000

Send 202

ЧЕРКАСОВА, Л.С.; КУКУШКИНА, В.А.; МИРОНОВА, Т.М.; РЕНБЕРГЕР, В.Г.;  
ФОМИЧЕНКО, К.В.

Effect of mechanical stimulation of gastric receptors on  
metabolism. Trudy Inst. fiziol. AN BSSR 1:88-98 '56

(MILRA 10:5)

1. Laboratoriya biokhimii.  
(STOMACH--INNERVATION) (METABOLISM)

FOMICHENKO, K.V.

USSR/Human and Animal Physiology. Digestion.

Abs Jour: Ref Zhur-Biol., No 8, 1958, 36546.

Author : Cherkasova, L.S., Kukushkina, V.A., Mironova, T.M.

Reinberger, V.G., Fomichenko, K.V.

Inst : Institute of Physiology BSSR. -- Lab of Biochem.

Title : The Effect of Mechanical Stimulation of Gastric  
Receptors on Metabolic Processes Under Conditions  
of Exclusion of Certain Areas of the Brain Cortex.

Orig Pub: Tr. In-taFiziol. AN BSSR 1956, 1, 180-193.

Abstract: The fasting glucose blood level (G) in dogs increased following removal of the premotor area of the cortex of the left hemisphere. Distension of the stomach prior to the operation lowered the fasting G level during the first 15 min and raised it somewhat after 30-45 minutes; following the operation, this produced

Card : 1/2

USSR/Human and Animal Physiology. Digestion.

Abs Jour: Ref Zhur-Biol., No 8, 1958, 36546.

only a slight decrease of the level in the first 5 min. The alimentary hyperglycemia following feeding persisted much longer in the operated than in the non-operated dogs, and gastric distension also prevented the appearance of the maximum raise of glycemia. The removal of the motor area of the cortex of both hemispheres in rats produced storage of glycogen in the liver and a marked increase in muscle tissue content of creatin-phosphoric acid and inorganic P; the content in the brain tissue of creatinphosphoric quotient of the muscle tissue remained of the same intensity. The reaction to mechanical stimulation of the receptors of the stomach in operated rats and rabbits remained the same as in non-operated animals.

Card : 2/2

59

FOMICHENKO, K.V., Cand Bio Sci--(diss) " *Peculiarities* of carbohydrate-phosphorus metabolism in the organism under the effect of bromine." (Minsk, 1958. 15 pp (Acad Sci BSSR. Inst of Biology), 100 copies (KL,26-58,108)

FOMICHENKO, K.V.

Effect of bromine on the exchange reaction of brain tissues induced by  
mechanical stimulation of gastric receptors. Trudy Inst. fisiol. AN BSSR  
2:240-248 '58. (MIRA 12:1)

1. Laboratoriya biokhimii Instituta fiziologii AN BSSR.  
(STOMACH--INNERVATION) (BROMINE--PHYSIOLOGICAL EFFECT)  
(BRAIN)

POMICHENKO, K.V.

Exchange reaction of muscle tissues in response to mechanical stimulation of gastric receptors following bromide administration. Trudy Inst. fiziolog. AN BSSR 2:278-291 '58. (MIRA 12:1)

1. Laboratoriya biokhimii Instituta fiziologii AN BSSR.  
(BROMINE--PHYSIOLOGICAL EFFECT)  
(STOMACH--INNERVATION)  
(MUSCLE)

FOMICHENKO, K.V. [Famichenko, K.V.]

Changes in the amount of high-energy phosphorus compounds in  
brain tissues induced by the action of bromine. Vestsi AN BSSR  
Ser. biol. naу. no.4:83-90 '58. (MIRA 12:4)  
(BROMINE--PHYSIOLOGICAL EFFECT) (BRAIN)  
(CREATINEPHOSPHORIC ACID)  
(ADEPOSINTRIPHOSPHORIC ACID)

"APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0

POMICHENKO, K.V. [Pamichenko, K.V.]

Tissular respiration during the action of bromine. Vestsi AN  
BSSR. Ser.biial.nau. no.2:102-110 '60. (MIRA 13:7)  
(OXIDATION, PHYSIOLOGICAL) (BROMINE)

APPROVED FOR RELEASE: 08/23/2000

CIA-RDP86-00513R000413420016-0"

FOMICHENKO, K.V., CHERKASOVA, L.S., KUKUSHKINA, V.A., MALASHKO, V.I.,  
TAIN, M. TU. (USSR)

"Energetic Study of Carbohydrate Metabolism During Single  
and Fractionated Co<sup>60</sup> Irradiation."

Report presented at the 5th Int'l. Biochemistry Congress,  
Moscow, 10-16 Aug 1961.

FOMICHENKO, K.V.

Intensity of the assimilation of P<sup>32</sup> into phosphorus compounds  
of the brain and muscles as affected by bromine. Kokl.AN BSSR 5  
no.3:128-129 Mr '61. (MIRA 14:3)

1. Institut fiziologii An BSSR. Predstavлено академиком AN BSSR  
T.N.Godnevym.  
(BROMINE—PHYSIOLOGICAL EFFECT)  
(PHOSPHORUS METABOLISM)